



NCM EBIKES

CATALOG 2022 





We believe that an ebike offers everyone the chance to travel more easily, more freely, and more sustainably. By offering a range of ebikes that prioritizes high-quality engineering, accessible design and reliably powerful performance, we strive to unlock the potential of every rider and every journey.

A photograph of two people riding e-bikes on a paved path. The person on the left is a man wearing a black helmet, sunglasses, and a black t-shirt. The person on the right is a woman wearing a white helmet, sunglasses, and a blue button-down shirt. They are riding towards the camera. The path is bordered by a glass railing on the left and a concrete wall with tall grass on the right. In the background, there is a cityscape and mountains under a clear blue sky.

JOIN

THE RIDE

WE ARE NCM

Since NCM was founded in Hanover, Germany in 2014, we've been making ebikes that empower you with the range and reliability that you need to get to wherever you need to go.

Named after nickel, cobalt and mangan, the elements that together create an ebike battery, NCM ebikes offer nothing less than a whole new way to travel, inspired by Germany's passionate cycling culture, commitment to sustainability and demand for products that are built to last.



GO FURTHER

Our ebikes are engineered from the ground up, with a focus on providing a ride that is strong, stable, and seamless. Equipped with our own Das-Kit drive and battery systems, NCM ebikes offer unparalleled distance per charge, giving you the freedom to go further.

Get ready to ride into a future of commuting, exercising, and traveling that is more convenient, more eco-friendly, and more thrilling than ever before.



Powered By **Das-Kit**

With 15 years of experience and innovation in the ebike industry, Das-Kit batteries are engineered to power ebikes of all styles and sizes.

Empowered by continuous research and development, Das-Kit drive systems patented battery structures, smart BMS, and display consoles are powerful, compact and energy efficient. Combining exceptional performance with friendly and intuitive interfaces, our integrated one-cable system controllers and quick release connectors allow for effortlessly easy maintenance.

Powered By **Das-Kit**



COMPACT BATTERIES, EPIC JOURNEYS

A unique, patented cell structure design offers batteries that pack the highest distance per charge on the market.



PEAK PERFORMANCE


Patented controller design with one-cable integration provides perfect thermal distribution, super-charging your drive systems performance and stability.



HIGH TORQUE MOTORS

A combination of rear motors and torque sensors adds up a drive system that can seamlessly adapt to any situation. On or off-road, flat or uphill, the Das-Kit torque sensor and motor provide the perfect amount of pedal assist.

36V 250W



X2 Motor

Rated Voltage	36V
Rated Power	250W
Torque Rating	50Nm
Weight	2.2kg

48V 250W



X15 Motor

Rated Voltage	48V
Rated Power	250W
Torque Rating	60Nm
Weight	3.2kg

48V 250W






X16 Motor

Rated Voltage	48V
Rated Power	250W
Torque Rating	70Nm
Weight	3.6kg



WHICH E-BIKE TYPE ARE YOU?



T-SERIES

Our **T Series e-trekking bikes** are built for versatility, as at home on city streets as they are cruising through the countryside.

P11 - P16



M-SERIES

Our **M Series e-mountain bikes** are engineered for sturdiness and longevity when tackling the tougher terrain that off-road riders crave.

P17 - P22



C-SERIES

Our **C Series e-city bikes** are your reliable partner for commutes, light excursions and each and every ride around town.

P23 - P26



CRU-SERIES

Our **Cru-Series e-cruiser bikes** make biking around town a breeze, built for casual rides around your neighborhood, along bicycle paths, and at the beach.

P27 - P28




E-TREKKING

FOR EVERYDAY RIDES




CITY &
COUNTRYSIDE



VERSATILE




EXERCISE



T-SERIES

Built to master any mission, from errands in the city to excursions out of town.



CRUISE IN COMFORT

FULLY EQUIPPED

Stay stocked up and spotless with pre-equipped pannier rack and mud guards.

COMPLETELY COMFY

A sprung seat post and handlebars with ergonomic grip provide enhanced comfort, designed for a stylish, sporty feel.

FULLY CHARGED

Charge anywhere with an easily removable integrated battery.





Colors 26" / 28"

- 25km/hr**
TOP SPEED
- UP TO 180KM**
RANGE
- 48V 20Ah, 960Wh**
BATTERY
- 250W**
RATED
- TORQUE**
PEDAL ASSIST

NCM T7s

Our top-of-the-line step-through e-trekking bike, the NCM T7s is kitted out with the finest drive system and brake technology, including a torque sensor, to offer a sturdy, seamless ride that always delivers maximum range and performance.

BIKE COMPONENTS

Frame	Alu. 6061, 26**430mm Alu. 6061, 28**460mm
Suspension Fork	Suntour, NEX-HLO 26/28
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Arisun, H-5213E
Saddle	Selle Royal, FREEWAY
Stem	Promax, MA-579
Crank	DAS-KIT, 46T
Shifter	Shimano, Altus, R:SL-M315-8R, 8 Speed
Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i7-4820, 48V20Ah, 960Wh
Hub Motor	Das-Kit, X15, 250W
Controller	Das-Kit, T7, 48V 22A
Charger	Das-kit, 48V3A
Display	Das-Kit, C8, with USB
Front Light	DH002, 48V, 40 Lux
Rear Light	DR009, AAA*2

WEIGHT

Net Weight (with battery)	30 KG
Battery Weight	5 KG
Max Load (driver+bike)	140 KG

Powered By **Das-Kit**



Colors 26" / 27.5"

- 25km/hr**
TOP SPEED
- UP TO 150KM**
RANGE
- 48V 16Ah, 768Wh**
BATTERY
- 250W**
RATED
- CADENCE**
PEDAL ASSIST

NCM T5s*

Balancing accessibility with superior specifications, the NCM T5s is a step-through e-trekking bike for riders that are eager to tackle longer routes alongside their daily rides and want an ebike with the range and the integrity to help them do it.

BIKE COMPONENTS

Frame	Alu. 6061, 26**430mm Alu. 6061, 28**460mm
Suspension Fork	Suntour, NEX-HLO 26/28
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Schwalbe, Marathon/Big Ben
Saddle	Selle Royal, FREEWAY
Stem	Promax, MA-579
Crank	Das-Kit, CT48A, 48T
Shifter	Shimano, Altus, R:SL-M315-8R, 8 Speed
Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i5-4816, 48V 16Ah, 768Wh, with an USB Port
Hub Motor	Das-Kit, X15, 48V 250W
Controller	Das-Kit, CT-i5, 48V18A
Charger	Das-Kit, 48V3A
Display	Das-Kit, C7
Front Light	Kendo, 48V, 30 Lux
Rear Light	DR009, AAA*2

WEIGHT

Net Weight (with battery)	27 KG
Battery Weight	4 KG
Max Load (driver+bike)	140 KG

*NCM Milano Plus Model

Powered By **Das-Kit**



Colors 26" / 28"

- 25km/hr**
TOP SPEED
- UP TO 100KM**
RANGE
- 48V 12Ah, 576Wh**
BATTERY
- 250W**
RATED
- CADENCE**
PEDAL ASSIST

NCM T3s

An exceptional entry point into the world of e-trekking bikes, the NCM T3s offers the chance to experience the smoothest city and countryside rides on an accessible step-through ebike engineered with high-quality components.

BIKE COMPONENTS

Frame	Alu. 6061, 26**430mm Alu. 6061, 28**460mm
Suspension Fork	Suntour, NEX 26/28
Brake	Disc Brakes
Freewheel	7 Speed, 14-28T
Tire	Arisun, H-5213E
Saddle	Selle Royal, FREEWAY
Stem	Promax, MA-579
Crank	Das-Kit, CT48A, 48T
Shifter	Shimano, Altus, R:SL-M315-7R, 7 Speed
Derailleur	Shimano, Altus RD-M310
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i6-4812, 48V 12Ah, 576Wh
Hub Motor	Das-Kit, X15, 250W
Controller	Das-Kit, CT-i6, 48V18A
Charger	Das-Kit, 48V2A
Display	Das-Kit, L7
Front Light	DH002, 48V, 40 Lux
Rear Light	DR009, AAA*2

WEIGHT

Net Weight (with battery)	27 KG
Battery Weight	3 KG
Max Load (driver+bike)	140 KG

Powered By **Das-Kit**





E-MTB

FOR OFF-ROAD ADVENTURES



TRAILS




RESILIENT



AMBITIOUS RIDES

M-SERIES

Engineered to enhance your ride, no matter the challenge.



RIDE INTO ADVENTURE

HEALTHY RIDING POSTURE

Meticulously crafted to maintain a healthy, comfortable posture while riding.

ACCESSIBLE DISPLAY

Have control at your fingertips with intuitive and effortlessly accessible display.

RUGGED DESIGN

Built with a high top tube and a powerful aluminum frame for tackling any trail.





Colors 26" / 27.5" / 29"

- 25km/hr**
TOP SPEED
- UP TO 180KM**
RANGE
- 48V 20Ah, 960Wh**
BATTERY
- 250W**
RATED
- TORQUE**
PEDAL ASSIST

NCM M7

The NCM M7 e-mountain bike is master of its domain, perfected with the highest quality parts to offer maximum range and maximum resilience in the face of any trail, equipped with a torque sensor for a seamless ride no matter the terrain.

BIKE COMPONENTS

Frame	Alu. 6061, 26**460mm Alu. 6061, 27.5**480mm Alu. 6061, 29**520mm
Suspension Fork	Suntour, XCM-HLO
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Schwalbe, Black Jack / Smart Sam
Saddle	Selle Royal, Lookin-A200UR
Stem	Promax, Alu.MA-471
Crank	DAS-KIT, 46T
Shifter	Shimano, Altus, R:SL-M315-8R, 8 Speed
Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i7-4820, 48V 20Ah, 960Wh
Hub Motor	Das-Kit, X15, 250W
Controller	Das-Kit, T7, 48V18A
Charger	Das kit, 48V3A
Display	Das-Kit, C8, with USB
Front Light	DH002, 48V, 40 Lux

WEIGHT

Net Weight (with battery)	27 KG
Battery Weight	5 KG
Max Load (driver+bike)	125 KG

Powered By **Das-Kit**



Colors 26" / 27.5" / 29"

- 25km/hr**
TOP SPEED
- UP TO 150KM**
RANGE
- 48V 16Ah, 768Wh**
BATTERY
- 250W**
RATED
- CADENCE**
PEDAL ASSIST

NCM M5*

An e-mountain bike equipped with high-end brake and drive systems, the NCM M5 is for adventurous riders who want to hit the trails comfortable in the knowledge that their ebike can handle whatever they throw at it.

BIKE COMPONENTS

Frame	Alu. 6061, 26**460mm Alu. 6061, 27.5**480mm Alu. 6061, 29**520mm
Suspension Fork	Suntour, XCM-HLO
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Schwalbe, Black Jack / Smart Sam
Saddle	Selle Royal, LOOKIN
Stem	Promax, Alu.MA-471
Crank	DAS-KIT, CM48, 48T/38T/28T
Shifter Left	Shimano, Altus, F: SL-M315-L, 3 Speed
Shifter Right	Shimano, Altus, R:SL-M315-8R, 8 Speed
Front Derailleur	Shimano, Altus, FD-M310
Rear Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i5-4816, 48V 16Ah, 768Wh
Hub Motor	Das-Kit, X15, 250W
Controller	Das-Kit, CT-i5, 48V 18A
Charger	Das-Kit, 48V3A
Display	Das-Kit, C7

WEIGHT

Net Weight (with battery)	26 KG
Battery Weight	4 KG
Max Load (driver+bike)	125 KG

Powered By **Das-Kit**

*NCM Moscow Plus Model



Colors 26" / 27.5" / 29"

- 25km/hr**
TOP SPEED
- UP TO 100KM**
RANGE
- 48V 12Ah, 576Wh**
BATTERY
- 250W**
RATED
- CADENCE**
PEDAL ASSIST

NCM M3

An entry-level e-mountain bike that doesn't compromise on high-quality components, the NCM M3 is built to maintain its cool no matter what mountain trail it faces, balancing range and performance with accessibility and ease of use.

BIKE COMPONENTS

Frame	Alu. 6061, 26**460mm Alu. 6061, 27.5**480mm Alu. 6061, 29**520mm
Suspension Fork	Suntour, XCT
Brake	Disc Brakes
Freewheel	7 Speed, 14-28T
Tire	Arisun Mount Cronos
Saddle	VELO, VL-3410
Stem	Promax, Alu.MA-471
Crank	DAS-KIT, CM48, 28/38/48T
Shifter Left	Shimano, Altus, F: SL-M315-L, 3 Speed
Shifter Right	Shimano, Altus, R:SL-M315-7R, 7 Speed
Front Derailleur	Shimano, Altus, FD-M313
Rear Derailleur	Shimano, Altus, RD-M310
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i6-4812, 48V 12Ah, 576Wh
Hub Motor	Das-Kit, X15, 250W
Controller	Das-Kit, CT5-i6, 48V 18A
Charger	Das-Kit, 48V2A
Display	Das-Kit, L7
Front Light	DH002, 48V, 40 Lux

WEIGHT

Net Weight (with battery)	26 KG
Battery Weight	3 KG
Max Load (driver+bike)	125 KG

Powered By **Das-Kit**





E-CITY

FOR EFFORTLESS
COMMUTES



CITY



CONVENIENT



COMMUTES

C-SERIES

Designed to take you from A to B with ease.



Colors ● ○ ●

M / L



25km/hr
TOP SPEED



UP TO 120KM
RANGE



36V 14Ah, 504Wh
BATTERY



250W
RATED



TORQUE
PEDAL ASSIST

NCM C7

Fully equipped for exceptional performance and maximum range, the NCM C7 e-city bike, equipped with a torque sensor, transforms your cycling experience into something more convenient and more captivating, offering more distance, more power, and more versatility.

BIKE COMPONENTS

Frame	Alu. 6061, M: 520mm, L: 580mm
Suspension Fork	ZF, 5058-01
Brake	Hydraulic disc brake
Freewheel	LY, 8 Speed, 11-32T
Tire	CST, C-1953
Saddle	Selle Royal, A236URN
Stem	HP-HD75-8
Crank	Das-Kit, 42T
Shifter	LT-8 Speed
Derailleur	LT-8 Speed
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i6-3614, 504WH
Hub Motor	Das-Kit, X2, 250W
Controller	Das-Kit, T6, 36V15A
Charger	Das-Kit, 36V3A
Display	Das-Kit E2
Front Light	DH002E
Rear Light	DR004B

WEIGHT

Net Weight (with battery)	22 KG
Battery Weight	3 KG
Max Load (driver+bike)	125 KG

Powered By **Das-Kit**



Colors ● ●

M / L



25km/hr
TOP SPEED



UP TO 80KM
RANGE



36V 12Ah, 432Wh
BATTERY



250W
RATED



TORQUE
PEDAL ASSIST

NCM C5

Built for those that want to electrify their commute and experience a more convenient way to get around, the NCM C5 e-city bike makes your daily rides around town smoother, simpler and more fun than ever, fitted with a torque sensor for a seamless pedal feel and superior range.

BIKE COMPONENTS

Frame	Alu. 6061, M: 510mm, L: 560mm
Suspension Fork	ZF, 5058-02
Brake	Dual pivot caliper Brakes
Freewheel	LY, 16T, Single Speed
Tire	CST, C1808
Saddle	Selle Royal, Prestige-1307URN
Stem	HP-HD75-8
Crank	Das-Kit, 46T
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i6-3612, 432Wh
Hub Motor	Das-Kit, X2, 250W
Controller	Das-Kit, T6, 36V15A
Charger	Das-Kit, 36V3A
Display	Das-Kit E2
Front Light	DH002E
Rear Light	DR004B

WEIGHT

Net Weight (with battery)	18 KG
Battery Weight	3 KG
Max Load (driver+bike)	125 KG

Powered By **Das-Kit**



E-CRU

For smooth cruising.



CRU7



Colors ●

NCM CRU7

26"

Designed for gliding through city streets and effortlessly handling light trail journeys, the NCM Cru7 e-cruiser bike lets you sit back and relax safe in the knowledge that your ebike has you covered, powered along with exceptional design and components crafted for maximum range.

BIKE COMPONENTS

Frame	Alu. 6061, 26**480mm
Suspension Fork	RST, Guid-TNL-26, with hydraulic lock system
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	CST,C1779
Saddle	Selle Royal,Justek:6534 UEN, Brown
Stem	Promax, MQ 579
Crank	Das-Kit, 46T
Shifter	Shimano, Tourney, 8 Speed
Derailleur	R: Shimano, Acera, RD-M360
Chain	KMC, Z51

ELECTRIC COMPONENTS

Battery	Das-Kit, i7-4820, 48V 20Ah, 960Wh
Hub Motor	Das-Kit, X15 250W
Controller	Das-Kit, T7, 48V 18A
Charger	Das Kit, 48V3A
Display	Das-Kit, C8, with USB
Front Light	DH006, 48V
Rear Light	DR009, AAA*2

WEIGHT

Net Weight (with battery)	31 KG
Battery Weight	5 KG
Max Load (driver+bike)	140 KG



25km/hr
TOP SPEED



UP TO 180KM
RANGE



48V 20Ah, 960Wh
BATTERY




250W
RATED



TORQUE
PEDAL ASSIST


Powered By **Das-Kit**

SIZE GUIDE




T-SERIES

	NCM T7s		NCM T5s (Milano Plus)		NCM T3s		cm
	26"	28"	26"	27.5"	26"	28"	
Standover/step-through height A	65.6	68.7	63.4	64	73	75	
Wheelbase B	107.5	110.1	108.5	109.3	107.5	109.8	
Frame Size C	43	46	44	48	43	46	
Min/Max Seat Height D	85 - 103	91.5 - 108	87 - 99.5	92 - 109	85 - 103	91.5 - 108	
Reach E	40.3	40	41.4	41.1	42	42	
Overall Length F	174.5	182.1	174.4	179.3	173	182	




C-SERIES

	C5		C7		cm
	M	L	M	L	
Standover/step-through height A	78	80	80	83.5	
Wheelbase B	104	105	106.2	108.2	
Frame Size C	51	56	52	58	
Min/Max Seat Height D	88 - 108	91 - 112	89 - 108	94 - 113	
Reach E	39	39	40.3	42.8	
Overall Length F	174	175	176.8	178.7	



M-SERIES

	NCM M7			NCM M5 (Moscow Plus)			NCM M3			cm
	26"	27.5"	29"	27.5"	29"	26"	27.5"	29"		
Standover/step-through height A	80	82	83	78	81.3	79	82	87		
Wheelbase B	108.2	110.5	114.5	110.3	110.9	110	114	116		
Frame Size C	46	48	52	48	52	46	48	52		
Min/Max Seat Height D	83 - 102	87 - 105	91.5 - 111	87.5 - 107	91.5 - 111.5	83 - 102	86 - 106	92 - 111		
Reach E	40.8	40	40.1	41.7	41	43	43	43		
Overall Length F	174	182	190	181.3	185.9	180	186	192		



CRU-SERIES

	CRU7		cm
	26"		
Standover/step-through height A	83.5		
Wheelbase B	122.8		
Frame Size C	42.5		
Min/Max Seat Height D	86 - 97		
Reach E	28.3		
Overall Length F	189.5		



NCM C7



NCM C5



NCM M7

NCM M5
*NCM Moscow Plus Model

NCM M3



NCM T7s

NCM T5s
*NCM Milano Plus Model

NCM T3s



Cru7

ELECTRICAL PARTS	Motor	Das-Kit , X2	<<<	Das-Kit , X16	Das-Kit , X15	<<<	Das-Kit , X15	Das-Kit , X15	<<<	Das-Kit , X15
	Rated / Peak Motor output	250W	<<<	250W	250W	<<<	250W	250W	<<<	250W
	Controller	T6, 36V15A	<<<	T7, 48V18A	CTS-i5, 48V18A	CT6-i6, 48V15A	T7, 48V18A	CTS-i5 48V18A	CT6-i6, 48V18A	T7, 48V18A
	Display	Das-Kit, E2	<<<	Das-Kit, C8, with USB	Das-Kit , C7	Das-Kit , L7	Das-Kit , C8, with USB	Das-Kit , C7	Das-Kit , L7	Das-Kit , C8, with USB
	Battery	36V14Ah, 504Wh	36V12Ah, 432Wh	48V 20Ah, 960Wh	48V 16Ah, 768Wh	48V 12Ah, 576Wh	48V 20Ah, 960Wh	48V 16Ah, 768Wh	48V 12Ah, 576Wh	48V 20Ah, 960Wh
	Charger	36V3A	<<<	48V3A	48V3A	48V2A	48V3A	48V3A	48V2A	48V3A
	Max torque	50Nm	<<<	55Nm	55Nm	<<<	55Nm	55Nm	<<<	55Nm
	Range (Up to)	Up to 120km	100km	Up to 180km	Up to 150km	Up to 100km	Up to 180km	Up to 150km	Up to 100km	Up to 180km
	Top assist speed	25km/hr	<<<	25km/hr	25km/hr	<<<	25km/hr	25km/hr	<<<	25km/hr
	Pedal assistance	Torque Sensor	<<<	Torque Sensor	Cadence Sensor	<<<	Torque Sensor	Cadence Sensor	<<<	Torque Sensor
BICYCLE PARTS	Frame	Alu. 6061, M: 520mm, L: 580mm	Alu. 6061, M: 510mm, L: 560mm	Alu. 6061, 26**460mm / 27.5**480mm / 29**520mm	Alu. 6061, 26**460mm / 27.5**480mm / 29**520mm	Alu. 6061, 26**460mm / 27.5**480mm / 29**520mm	Alu. 6061, 26**430mm / 28**460mm	Alu. 6061, 26**440mm / 27.5**480mm	Alu. 6061, 26**430mm / 28**460mm	Alu. 6061, 26**480mm
	Fork	ZF, 5058-01, 27.5", rigid fork, PM	ZF, 5058-01, 27.5", rigid fork, PM	Suntour, XCM-HLO-26/27.5/29, with hydraulic lock system	<<<	<<<	Suntour, NEX-HLO 26/28	Suntour, NEX-HLO 26/28	Suntour, NEX-HLO 26/28, T: 2.5 inches	RST, Guid-TNL-26, with hydraulic lock system
	Brakes	F/R: Hydraulic Disc Brakes	F/R: Dual pivot caliper Brakes	F/R: Hydraulic Disc Brakes	F/R: Hydraulic Disc Brakes	F/R: Disc Brakes	F/R: Hydraulic Disc Brakes	F/R: Hydraulic Disc Brakes	F/R: Disc Brakes	F/R: Hydraulic Disc Brakes
	Saddle	Selle Royal A236URN	Selle Royal, Prestige-1307URN, Black	Selle Royal, Lookin-A200UR, Black	<<<	VELO, VL-3410, with"NCM" logo, Black	Selle Royal, FREEWAY, Brown	<<<	<<<	Selle Royal,Justek:6534 UEN, Brown
	Tire	CST,C1953, 700*38c,Black	CST,C1808, 700*30c, Black	Schwalbe, Black Jack, 26**2.1 Smart Sam, 27.5**2.35/29**2.35, Black	<<<	Arisun Mount Cronos, 26*2.30/27.5*2.35/29*2.35, Black	Arisun, H-5213E, 26*215/28*2.0	Schwalbe, Marathon, 26**2.0 Big Ben, 27.5**2.0, Black	Arisun Mount Cronos, 26*2.30/27.5*2.35/29*2.35, Black	CST,C1779,26*2.15 Brown
	Derailleur	R: LT-8 Speed, Black	/	R: Shimano, Acera, RD-M360	F: Shimano, Altus, FD-M310, R: Shimano, Acera, RD-M360	F: Shimano, Altus, FD-M313, R: Shimano, Altus, RD-M310	R: Shimano, Acera, RD-M360	<<<	R: Shimano, Altus, RD-M310	R: Shimano, Acera, RD-M360
	Crank	Das-Kit, 42T, Black	Das-Kit, 46T, Black	Das-Kit, 52T, Black	Das-Kit, CM48,28/38/48T, Black	Das-Kit, CM48,28/38/48T, Black	Das-Kit, 46T, Black	Das-Kit, CT48A, 48T, Black	Das-Kit, CT48A, 48T, Black	Das-Kit, 52T, Black
	Fenders	Front & Rear	/	/	/	/	Front & Rear	<<<	<<<	<<<
	Rear Rack	Yes	/	/	/	/	Yes	<<<	<<<	<<<
	WEIGHT	Net weight (with battery)	21kg	18kg	27kg	26kg	26* 25 kg 27.5* 25 kg 29* 26 kg	30kg	27kg	26 *26 kg, 28* 27 kg
Battery weight		3kg	3kg	5kg	4kg	<<<	5kg	4kg	<<<	5kg
Max Load (driver+bike)		125kg	<<<	125kg	<<<	<<<	140kg	<<<	<<<	140kg



WE RIDE TOGETHER

Find us on social media to join a fun, friendly community of emobility enthusiasts. Share snaps of the scenery on your latest ride, learn how to get the most out of your new ebike, and be the first to learn all the latest news from NCM.



OUR SHOWROOMS

CANADA VANCOUVER

Contact +1 (236) 521-8444
Address 302 W 2nd Ave, Vancouver, BC V5Y 1C8

PORT MOODY

Contact +1 (604) 917-0756
Address 3030 St. John's Street, Port Moody, BC V3H 2C5

MONTREAL

Contact +1 (514) 933-7382
Address 3467 Notre-Dame St W, Montreal, Quebec H4C 1P3

USA SEATTLE

Contact +1 (206) 707-1580
Address 1400 NW 49th St, Seattle, WA 98107

SANTA MONICA

Contact +1 (310) 310-2039
Address 2803 Main St, Santa Monica, CA 90405

GERMANY HANOVER

Contact +49 511 999957 0
Address Calenberger Esplanade 2D, 30169 Hannover

MUNICH

Contact +49 511 999957 0
Address Sendlinger Str. 7 80331 München

AUSTRALIA MELBOURNE

Contact +61 (03) 9069 5443
Address Unit3/45 Leakes Rd, Laverton North VIC 3026

PERTH

Contact +61 (08) 6230 3822
Address Unit 2/205 Camboon Rd, Malaga WA 6090

FRANCE LILLE

Contact +33 3 20 43 21 47
Address 12 Rue de la Vieille Comédie, 59800 Lille, France

SPAIN BARCELONA

Contact +34 644 643 835
Address Passatge del mar d'alboran 8, Local, 08918 Badalona



RIDE
FURTHER

RIDE
FREER



For Business Inquiries:
Tel: (310) 310-2039
Email: info@ncmbikes.com